Can you 3D print car body parts?

Asked 3D Content Team
Published October 13, 2026 · Last verified October 13, 2026

Abstract. Small trim, yes, in ASA and in sections: a common desktop printer builds a 256 mm cube, a Civic is 70.9 in wide, and a printed bumper cover adds no crash protection.

Keywords: replacement-parts, asa, part-strength, warranty

1 Can you 3D print car body parts?

Yes, for exterior trim: mirror caps, grille inserts, badge backings, fender-flare sections and aero prototypes, in UV-resistant ASA (acrylonitrile styrene acrylate). Bigger parts print in sections: a common desktop printer builds a 256 mm cube, and a bumper cover spans a car 1,801 mm (70.9 in) wide. A printed bumper cover is cosmetic and adds no crash protection.

1.1 Build volume against a car

Table 1. Build volume against a car

Machine class (example, maker's spec)	Build volume	Straight sections to span 1,801 mm
256 mm cube (Bambu Lab P1S)	256 × 256 × 256 mm (10.1 in per side)	8
350 mm cube (Creality K2 Plus)	350 × 350 × 350 mm (13.8 in per side)	6
Large-format FDM (Elegoo OrangeStorm Giga)	800 × 800 × 1000 mm (31.5 × 31.5 × 39.4 in)	3
Industrial BAAM (Cincinnati Incorporated, at Oak Ridge National Laboratory)	about 273 cubic feet (7.7 m^3)	a whole car body
Reference: 2025 Honda Civic Sedan	70.9 in (1,801 mm) wide	

Build volumes come from the Bambu Lab, Creality and Elegoo spec pages and the Oak Ridge National Laboratory (ORNL) BAAM report. The car width comes from Honda's 2025 Civic Sedan spec sheet. The section count is the width divided by the longest bed side, rounded up. A bumper cover also wraps around the corners, so its surface runs longer than the car's width.

1.2 What car body parts can you 3D print?

Parts that fit the bed in one or two pieces and carry no load:

- Mirror caps and mirror-base covers
- Grille inserts and mesh panels
- Badge backing plates and emblem delete plates
- Fender-flare sections and wheel-arch trim
- Splitter, lip and wing prototypes to test fit and shape before making the final part
- Interior trim, covered on which filament to use for a replacement part

Print exterior parts in ASA. Bambu Lab describes its ASA as offering "exceptional UV, weather, mechanical, and thermal resistance," with a heat deflection temperature (HDT) of 100 °C (212 °F) at 0.45 MPa. Prusa rates ASA for outdoor use. Bambu Lab's PLA Basic (polylactic acid) deflects at 57 °C (135 °F). A parked car gets hotter: Arizona State University (ASU) researchers measured dashboards averaging 157 °F (69 °C) after one hour in the sun.

Never print anything safety-critical: brakes, steering, suspension, seat belts and restraints, airbags, the fuel system, wheels, or the bumper bar, energy absorber and their brackets.

1.3 Why a printed bumper cover is only cosmetic

The visible bumper is a plastic cover over the parts that take the hit. The Insurance Institute for Highway Safety (IIHS) calls the bumper bars behind the covers "the main energy-absorbing components." SABIC, a bumper-resin supplier, says polypropylene and thermoplastic polyolefin (PP/TPO) grades are preferred for fascias because they give an "optimal balance of stiffness and impact." A molded TPO cover flexes and springs back from a knock.

A print does not flex back. It is weakest across its layers, as the data-sheet figures in the replacement parts guide show, and Prusa notes PLA breaks along layers or into shards on impact. The federal bumper standard (49 CFR Part 581) tests a passenger car's bumper system with pendulum and barrier impacts at 2.5 mph. Lamps, hood, doors, fuel and cooling systems must come through undamaged. The car passed those tests with its original cover, not a print. Keep the original bar and absorber in place. Fasten the printed cover at every original mounting point and treat it as trim.

1.4 Can you 3D print a car body?

Yes, but not on a desktop printer. In September 2014, Local Motors printed its Strati car live at the International Manufacturing Technology Show (IMTS) in Chicago, working




Figure 1. The bumper bar and absorber behind the cover take the hit, so a printed cover is trim and the original parts stay in place behind it.

with ORNL and Cincinnati Incorporated. The printer was Cincinnati's Big Area Additive Manufacturing (BAAM) machine. The material was SABIC's LNP STAT-KON compound, a carbon-fiber-reinforced acrylonitrile butadiene styrene (ABS). The BAAM laid down 40 pounds of material per hour. The car was planned with 40 parts, against more than 20,000 in an average car.

ORNL's report puts that machine at about 273 cubic feet of build volume, and says conventional printers make parts smaller than 1 cubic foot.

1.5 Does a large-format printer help with car parts?

It cuts the seams, not the work. An 800 × 800 × 1000 mm fused deposition modeling (FDM) machine still needs 3 sections to span a car's width, against 8 on a 256 mm printer. Each section is also a long print in a warp-prone material: Prusa lists significant warping as ASA's main drawback and says the printer should be inside an enclosure.

1.6 How to 3D print large car parts

1. **Get the shape.** Use a published model for your car, or measure the original. The measuring guide covers caliper work.
2. **Split it in the slicer.** PrusaSlicer's Cut tool adds connectors on the cut plane: Plug, Dowel (a separate printed pin) or Snap. Its Dovetail mode cuts a trapezoidal pin and tail. Put each cut on a flat area or along a body line, where a seam is easier to hide.
3. **Orient each section** so the load runs along the layers. See which print orientation makes a part strongest.
4. **Print in ASA inside an enclosure,** in a well-ventilated room. Prusa warns ASA gives off potentially dangerous fumes while printing.
5. **Bond the sections.** Prusa's gluing guide says ABS and ASA can be glued with acetone. It also suggests tacking the parts with a few points of cyanoacrylate (CA) glue and filling the rest with two-part epoxy. Sand and clean both faces first.
6. **Fill and paint.** Prusa's post-processing guide sands with P100 and fills the seams with automotive body filler. A spray filler then shows the layer lines. Sand those out with P400, then spray base coat, color and clear coat.
7. **Test-fit on the car before paint,** and check the mounting points again after the first hot week.

1.7 Is it legal, and does it affect the warranty?

Body panels can carry design patents. In 2019 the Federal Circuit upheld Ford's design patents on the F-150 hood (D489,299) and headlamp (D501,685). It ruled that buying the truck lets an owner repair the original panels but not make new ones from Ford's designs. Copying a patented panel infringes even for your own repair, so check the design patent before you print a hood, fender, mirror or lamp housing. The full rules are on is it legal to 3D print replacement parts.

For the warranty, the Federal Trade Commission (FTC) says a car warranty stays in effect when you use aftermarket parts. If a defective or badly installed part damages a covered part, the dealer can deny that repair, but it must prove the aftermarket part caused the damage.

References

[1] Bambu Lab P1S (Bambu Lab store, parameters). https://us.store.bambulab.com/products/p1s. Accessed October 13, 2026.

[2] Creality K2 Plus Combo (Creality, specifications). https://www.creality.com/products/creality-k2-plus-cfs-combo. Accessed October 13, 2026.

[3] ELEGOO OrangeStorm Giga FDM 3D Printer (Elegoo, specifications). https://us.elegoo.com/products/orangestorm-giga. Accessed October 13, 2026.

[4] Cincinnati Big Area Additive Manufacturing (BAAM) CRADA Final Report, ORNL/TM-2015/100 (Oak Ridge National Laboratory). https://info.ornl.gov/sites/publications/files/Pub54708.pdf. Accessed October 13, 2026.

[5] 2025 Honda Civic Sedan Specifications & Features (Honda News). https://hondanews.com/en-US/honda-automobiles/releases/release-c28e8d1efb94e520fef21ff3f800cb30-2025-honda-civic-sedan-specifications-features. Accessed October 13, 2026.

[6] SABIC Exteriors: Bumpers/Fascias and other Exterior Components (SABIC). https://www.sabic.com/en/industries/automotive/polymers/exteriors. Accessed October 13, 2026.

[7] Bumper mismatch is still a problem, IIHS Status Report Vol. 45 No. 12, attached to IIHS comments on 49 CFR Part 581 (Insurance Institute for Highway Safety, 2010). https://www.iihs.org/media/839ea4fd-2d2f-4d2b-98b4-956642c19495/EQDvZg/Reg

ulatoryComments/comment_2010-12-13.pdf. Accessed October 13, 2026.
[8] 49 CFR Part 581, Bumper Standard (eCFR). https://www.ecfr.gov/current/title-49/subtitle-B/chapter-V/part-581. Accessed October 13, 2026.
[9] Local Motors Begins Their Six Day Quest to 3D Print the 'Strati' Car Live at IMTS (reprinted by the U.S. Department of Energy). https://www.energy.gov/sites/prod/files/2014/09/f18/Local%20Motors%20Begins%20Their%20Six%20Day%20Quest%20to%203D%20Print%20the%20%E2%80%98Strati%E2%80%99%20Car%20Live%20at%20IMTS.pdf. Accessed October 13, 2026.
[10] SABIC's Carbon Fiber-Reinforced Material used to Produce the World's First 3D-Printed Vehicle at IMTS 2014 (reprinted by the U.S. Department of Energy). https://www.energy.gov/sites/prod/files/2014/09/f18/SABIC%E2%80%99s%20Carbon%20Fiber-Reinforced%20Material%20used%20to%20Produce%20the%20World%E2%80%99s%20First%203D-Printed%20Vehicle%20at%20IMTS%202014.pdf. Accessed October 13, 2026.
[11] Bambu Filament Technical Data Sheet, ASA. https://wiki.bambulab.com/filament-acc/abs-asa-pc/6eaf4c432d1d4014a1975e55a55ed00b.pdf. Accessed October 13, 2026.
[12] Bambu Filament Technical Data Sheet, PLA Basic. https://wiki.bambulab.com/filament-acc/abs-asa-pc/bambu_pla_basic_technical_data_sheet.pdf. Accessed October 13, 2026.
[13] ASA (Prusa Knowledge Base). https://help.prusa3d.com/article/asa_1809. Accessed October 13, 2026.
[14] PLA (Prusa Knowledge Base). https://help.prusa3d.com/article/pla_2062. Accessed October 13, 2026.
[15] Study: Hot cars can hit deadly temperatures in as little as one hour (ASU News, on Vanos et al., Temperature, 2018). https://news.asu.edu/20180516-discoveries-asu-study-hot-cars-can-hit-deadly-temperatures-within-one-hour. Accessed October 13, 2026.
[16] Cut tool (Prusa Knowledge Base). https://help.prusa3d.com/article/cut-tool_1779. Accessed October 13, 2026.
[17] The Great Guide to Gluing and Assembling 3D Prints (Prusa blog). https://blog.prusa3d.com/the-great-guide-to-gluing-and-assembling-3d-prints_44908/. Accessed October 13, 2026.
[18] Postprocessing of 3D prints step-by-step (Prusa blog). https://blog.prusa3d.com/postprocessing-of-3d-prints-step-by-step_29270/. Accessed October 13, 2026.
[19] Automotive Body Parts Ass'n v. Ford Global Technologies, LLC, 930 F.3d 1314 (Fed. Cir. 2019) (CourtListener). https://www.courtlistener.com/opinion/4641907/automotive-body-parts-assn-v-ford-global-technologies-llc/. Accessed October 13, 2026.
[20] Auto Warranties and Auto Service Contracts (FTC Consumer Advice). https://consumer.ftc.gov/articles/auto-warranties-and-auto-service-contracts. Accessed October 13, 2026.

Cite as: Asked 3D. “Can you 3D print car body parts?.” October 13, 2026. https://asked3d.com/answers/3d-print-car-body-parts. Last verified October 13, 2026.